

#### Page 1 of 9



# **Verification Report**

**Applicant** 

: Shanghai Hezhou Communication Technology Co., Ltd.

Address

Room 555A, Building 2, No. 787, Manufacturing Bureau Road, Huangpu

· District, Shanghai

Report on the submitted samples said to be:

Sample Name(s)

: LTE Module

Trade Mark

: N/A

Part No.

: Air780E

**Sample Received Date** 

February 24, 2023

**Testing Period** 

February 24, 2023 ~ March 03, 2023

**Date of Report** 

: March 03, 2023

**Testing Location** 

901, No.40 Building, Xialang Industrial Zone, Heshuikou Community,

Matian Street, Guangming District, Shenzhen, Guangdong, China

Results

: Please refer to next page(s).

TEST REQUEST	CONCLUSION
As specified by client, based on the performed tests on submitted sample, the result of	
Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs,	
Dibutyl Phthalate(DBP), Butylbenzyl Phthalate(BBP), Di-2-ethylhexyl	PASS
Phthalate(DEHP) and Diisobutyl phthalate(DIBP) content comply with the limits set by	
RoHS Directive 2011/65/EU with amendment (EU) 2015/863.	•

Signed for and on behalf of LCS

Lily dan

lily.dan





#### **Results:**

### A. EU RoHS Directive 2011/65/EU and its amendment directives

<u>Test method:</u> With reference to IEC 62321-1:2013&IEC 62321-2:2021&IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

G 1	G I		Date of sample					
Sample No.	Sample Description	Cd	Pb	Hg	Cr♥	Br♥		submission/
110.		Ca				PBBs	<b>PBDEs</b>	Resubmission
1	Silver metal shell	OL	BL	BL	BL	/	/	2023-02-24
2	Gold metal coating	BL	BL	BL	BL	/	/	2023-02-24
3	Silver crystal oscillator	BL	BL	BL	BL	/	位别	2023-02-24
4	Black body (IC)	BL	BL	BL	BL	BL	BL	2023-02-24
5	Black body (IC)	BL	BL	BL	BL	BL	BL	2023-02-24
6	Black body (IC)	BL	BL	BL	BL	BL	BL	2023-02-24
7	Brown body (chip capacitor)	BL	BL	BL	BL	BL	BL	2023-02-24
8	Black body (electrolytic capacitor)	BL	BL	BL	BL	BL	BL	2023-02-24
9	Black body (IC)	BL	BL	BL	BL	BL	BL	2023-02-24
10	Black body (IC)	BL	BL	BL	BL	BL	BL	2023-02-24
工门Lestin	Green PCB	BL	BL	BL	BL	X	X	2023-02-24

#### Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

Element	Polymers	Metals	Composite material
Cd	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>BL≤(70-3σ)<x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<></td></x<(130+3σ)≤ol<>	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<>	LOD <x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<>
Pb	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Hg	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Cr	BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<></td></x<>	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<>	BL≤(500-3σ) <x< td=""></x<>
Br	BL≤(300-3σ) <x< td=""><td>N/A</td><td>BL≤(250-3σ)<x< td=""></x<></td></x<>	N/A	BL≤(250-3σ) <x< td=""></x<>

## Remark:

- BL= Below Limit
- OL= Over Limit
- X= The range of needing to do further testing
- $3\sigma$ = The reproducibility of analytical instruments
- N/A= Not applicable
- LOD= Detection limit
- 2. The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel:  $+(86)\ 0755-8259\bar{1}330\ |$  E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com Scan code to check authenticity

- The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
- ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium(Cd)	100
Lead(Pb)	1000
Mercury(Hg)	1000
Hexavalent Chromium(Cr(VI))	1000
Polybrominated biphenyls(PBBs)	1000
Polybrominated diphenylethers(PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Butylbenzyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

#### Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



Shenzhen LCS Compliance Testing Laboratory Ltd.



# B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content

#### Test method:

### Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES) or atomic absorption spectrometer (AAS).

## Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma optical emission spectrometer (ICP-OES).

# Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

### PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

# Phthalates(DBP, BBP, DEHP &DIBP) Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

## 1) The test results of Cadmium(Cd)

Tested Items	MDL (mg/kg)	Results (mg/kg) (1)	Limit (mg/kg)
Cadmium(Cd) Content	5	N.D.	100

### 2) The test results of Phthalates(DBP, BBP, DEHP &DIBP)


Tested Items	MDL (mg/kg)	Results (mg/kg)	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	50	4+5+6+7+8+9 N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-8259 330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com | Scan code to check authenticity



Tested Items	MDL	Results (mg/kg)	Limit	
	(mg/kg)	10+11	(mg/kg)	
Dibutyl Phthalate(DBP) Content	50	N.D.	1000	
Butylbenzyl Phthalate(BBP) Content	50	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	1000	
Diisobutyl phthalate(DIBP) Content	50	N.D.	1000	

# 3) The test results of PBBs & PBDEs

Tested Items	MDL	Results (mg/kg)	Limit
	(mg/kg)	(11)	(mg/kg)
Polybrominated Biphenyls(PBBs) Conter	nt		
Monobromobiphenyl	5	N.D.	/
Dibromobiphenyl	5	N.D.	/
Tribromobiphenyl	5	N.D.	/
Tetrabromobiphenyl	5	N.D.	/
Pentabromobiphenyl	5	N.D.	1
Hexabromobiphenyl	19 Lab	N.D.	工说证的
Heptabromobiphenyl	5	N.D.	1
Octabromobiphenyl	5	N.D.	1
Nonabromodiphenyl	5	N.D.	1
Decabromodiphenyl	5	N.D.	1
Total content	/	N.D.	1000
Polybrominated Diphenylethers(PBDEs)	Content		
Monobromodiphenyl ether	5	N.D.	1
Dibromodiphenyl ether	5	N.D.	则股份
Tribromodiphenyl ether	5	N.D.	ding 1
Tetrabromodiphenyl ether	5	N.D.	/
Pentabromodiphenyl ether	5	N.D.	1
Hexabromodiphenyl ether	5	N.D.	/
Heptabromodiphenyl ether	5	N.D.	1
Octabromodiphenyl ether	5	N.D.	1
Nonabromodiphenyl ether	5	N.D.	1
Decabromodiphenyl ether	5	N.D.	1
Total content	D-Val/	N.D.	1000



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel:  $+(86)\ 0755-82591330\ |\ E$ -mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com Scan code to check authenticity






#### Note:


- MDL = Method Detection Limit
- N.D. = Not Detected (< MDL)
- mg/kg = milligrams per kilogram
- According to customer's requirement, only the appointed materials have been tested.

## **Test Process**

1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013




2. Mercury(Hg): IEC 62321-4:2013+AMD1:2017 CSV



### 3. Hexavalent Chromium(Cr(VI))

1) IEC 62321-7-2:2017





Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity

Page 7 of 9 Report No.: LCSA022423036R


## 2) IEC 62321-7-1:2015



4. Polybrominated Biphenyls(PBBs) & Polybrominated Diphenyl Ethers(PBDEs): IEC 62321-6:2015



5. Phthalates(DBP, BBP, DEHP & DIBP): IEC 62321-8:2017














Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com Scan code to check authenticity



# The photo(s) of the sample










Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com Scan code to check authenticity





## **Statement:**

- 1. The test report is invalid without the signature of the approver and the special seal for the company's report;
- The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
- 3. The test results in this report are only responsible for the tested samples;
- 4. Without written approval of LCS, this report can't be reproduced except in full;
- 5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the Chinese version shall prevail.

\*\*\* End of Report \*\*\*





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com Scan code to check authenticity